Email : sales@scilabexport.com
Phone: +91-7082934803

Product Name :

Gynaecology Table Delivery With Accessories

Product Code :

SLE/HF/03



Science Lab

Email : sales@scilabexport.com
Phone: +91-7082934803

Description :

Gynaecology Table Delivery With Accessories (Product Code: SLE/HF/03) is a three-section gynaecological examination and delivery table whose sections can be repositioned by hand to switch between gynaecological examination and obstetric (delivery) use. It comes with padded knee crutches, vertical handgrips and a slide-out stainless steel basin tray, and is intended for labour rooms, maternity wards and gynaecology outpatient clinics. As a lab equipment manufacturer in India that also builds hospital furniture, **Jain Scientific Equipments Pvt Ltd (ScienceLab)**, Ambala, manufactures this table for hospitals, health centres and training institutions.

Specifications

Parameter	Detail
Type	Gynaecological examination and delivery table, 3 sections; robust manual mechanics for repositioning between gynaecological and obstetric use
Supports	4 sturdy supports with height adjustable feet; transfer bars join the lower distal portions of all 4 supports for structural strength
Back section	Adjustable via secured pawl and gear ratchet, safe for patient and operator
Pelvic section	Tilts to Trendelenburg position with lever handle; vertical handgrips on both sides, length 20 cm; integrated support for slide-out basin tray
Knee crutches	Padded, height and width adjustable, set with robust clamps and heavy knob; crutch holders fixed with solid steel welded to the frame
Leg section	Recesses entirely downwards, 90 degrees
Flat position	When elevated and fully extended, all sections align to a flat surface
Upholstery	Non-removable padded upholstery on all sections; high-density polyurethane foam, density 27–33 kg/m³; height 4.5–7.5 cm
Cover	Plastic, flexible, highly tear resistant, anti-static, flame retardant, disinfectant- and liquid-proof, washable
Frame	Epoxy coated tubular steel, 2.7–3.3 cm (outside, across), 1.8–2.2 mm wall thickness; high resistance to corrosion (tropical environment)
Knee crutch sliders/fixtures	Tubular steel, welded to the bed frame
Adjustable feet	Rubber or nylon
Basin tray	Slide-out, austenitic stainless steel 18/10, capacity 4 L
Size, all 3 sections extended (incl	
Carr	