Email : sales@scilabexport.com
Phone: +91-7082934803

Product Name :

Operating Theatre Table With Accessories

Product Code :

SLE/HF/04



Email : sales@scilabexport.com
Phone: +91-7082934803

Description :

Operating Theatre Table With Accessories (Product Code: SLE/HF/04) is a general purpose operating table with 4 areas and 5 sections, positioned entirely by manual gear, lever and crank mechanisms with foot-pedal hydraulic height adjustment, so it keeps working without mainspower or gas springs. Its radiolucent top has integrated channels for standard-size X-raycassettes, and stainless steel side rails accept clamp-on accessories. It is intended for operatingtheatres in hospitals and surgical centres, and is manufactured by **Jain Scientific Equipments Pvt Ltd (ScienceLab)**, Ambala, a scientific laboratory equipment manufacturer that also builds theatre and ward furniture.

Specifications

Parameter	Detail
Type	General purpose operating table, 4 areas, 5 sections; adjustable to all essential positions
Mechanisms	Gear, lever and crank mechanisms, all manually operated; no gas springs
Height adjustment	Foot pedal via hydraulic lever system, factory filled with hydraulic oil; from 63–77 cm to 90–110 cm
Crank adjustment	Three areas adjustable via manual crank: back, pelvic and legs
Trendelenburg / reverse Trendelenburg	+/- 25 degree
Lateral tilt	+/- 20 degree, both sides
Backrest	Adjustable 5 to +90 degree
Head area	Removable, independently adjustable +20 to -90 degree
Leg area	Removable, 2 independent sections, each adjustable up/down and left/right
Flat position	When elevated and fully extended, all sections align to a flat surface
Table top	Radiolucent epoxy resin with integrated standard-size X-ray cassette channels
Accessory rails	Standard stainless steel medical rail on both sides for clamp-on accessories; sliders/fixtures in austenitic stainless steel 18/10
Mattress	On all sections, detachable for cleaning; welded-seam rubber with core and surface joined; highly tear resistant, anti-static, flame retardant, disinfectant- and liquid-proof, washable; 4.5–6 cm high
Base	Stainless steel, solid and reinforced, on 4 castors; central brake lowers the table onto 4 robust height-adjustable feet; earth connection fitted
Cas	
Fran	t)