



Email : [sales@scilabexport.com](mailto:sales@scilabexport.com)

Phone: +91-7082934803

**Product Name :**

Operating Theatre Table With Accessories

**Product Code :**

SLE/HF/04



**Website:** <https://scilabexport.com>, **Email:** [sales@scilabexport.com](mailto:sales@scilabexport.com)

1226/1-5, Bengali Mohalla, Science Market | 133001, Harvana



Email : [sales@scilabexport.com](mailto:sales@scilabexport.com)

Phone: +91-7082934803

## Description :

### Specifications:

Gear, lever and crank mechanisms are all manually operated, no gas springs  
Radiolucent table top with integrated standard size x-ray cassette channels  
General purpose operating table, 4 areas, 5 sections  
Mattresses have welded seams, core and surface are joined  
Table adjustable to all essential positions  
Height adjustable with foot-pedal via hydraulic lever system  
Factory filled with hydraulic oil  
Stainless steel finished base on 4 castors  
Central brake lowers the table onto 4 robust, height adjustable feet  
Solid reinforced base creates maximum stability, with patient, up to the limits of each position  
Base is fit with earth connection  
Trendelenburg and reverse Trendelenburg: +/- 25 degree  
Lateral tilting, both sides: +/- 20 degree  
Leg area removable, consists of 2 independent sections, each adjustable to a combination of up/down and left/right  
Head area removable, and independently adjustable, +20 to -90 degree  
Accessories on both sides clamp on standard stainless steel medical rail  
When elevated and fully extended, all sections align to perfectly flat surface  
All sections fit with a mattress, detachable for easy cleaning  
Three areas adjustable via manual crank: back, pelvic and legs  
Backrest adjustable 5 to +90 degree

### Material:

High resistance to corrosion (tropical environment)

**Frame:** Epoxy coated.

**Table top:** radiolucent epoxy resin

**Base:** stainless steel

**Sliders/fixtures rail for accessories:** Austenitic stainless steel 18/10

**Mattress:** welded seams rubber, highly tear resistant, anti-static, flameretardant, disinfectant- and liquid proof, washable

**Caster wheel:** single wheel, solid, non-hooded (for easy maintenance)

**Caster frame/bracket:** steel

### Dimensions:

Operating table, all areas extended:

220-224 (L) = including leg section straight. 49-52 (w) = width surface. 55-57 (w) = width with side rail. 75-79 (h) from floor to frame. 79-96 (h) from floor to surface without the mattress.

Height adjustable feet, Foot pedal: length 7-9 cm and width: 5-7cm.

**Height adjustment:** 63-77 to 90-110cm (h)

**Mattress:** 4.5-6cm (h)

**Carrying capacity:** minimum 150 kg.

Contact Science Lab for your Educational School Science Lab Equipments. We are best educational equipment manufacturer, educational laboratory supplier.

**Website:** <https://scilabexport.com>, **Email:** [sales@scilabexport.com](mailto:sales@scilabexport.com)

1226/1-5, Bengali Mohalla, Science Market | 133001, Harvana



Email : [sales@scilabexport.com](mailto:sales@scilabexport.com)

Phone: +91-7082934803