Email : sales@scilabexport.com
Phone: +91-7082934803

Product Name :

Surgical Instruments, Abdominal SET

Product Code :

SLE/MD/08



Science Lab

Email : sales@scilabexport.com
Phone: +91-7082934803

Description :

Surgical Instruments, Abdominal SET (Product Code: SLE/MD/08) is a comprehensive instrument set used to perform open abdominal and gynaecological operations in hospital theatres. Surgical departments select it for emergencies such as exploratory laparotomy and caesarean section, and its key difference from a basic set is the self-retaining Collin and Balfour abdominal retractors, long Pean/Rochester and Mixter forceps, uterine forceps and a Yankauer suction tube. It is supplied by **Jain Scientific Equipments Pvt Ltd (ScienceLab)**, Ambala, India.

Specifications

Parameter	Detail
Abdominal retractors	Collin, 3 blades; Balfour, 3 blades
Hand-held retractors	Farabeuf, double-ended, 180mm, one pair
Scissors	Metzenbaum/Nelson, 180mm and 230mm, curved, blunt/blunt; Mayo, 170mm and 230mm, curved, blunt/blunt
Artery forceps	Kelly, 140mm, curved; Kocher, 140mm, straight; Pean/Rochester, 200mm and 240mm, curved; Halsted-Mosquito, 125mm, curved; Mixter, 230mm
Dressing forceps	Standard, 155mm and 250mm, straight; Cheron, 250mm
Tissue forceps	Allis, 150mm; Babcock, 200mm; Duval, 230mm; standard, 145mm and 250mm, straight
Intestinal clamp	Doyen, 230mm, curved
Uterine forceps	Phaneuf, 215mm, curved; Duplay, 280mm, curved
Other instruments	Backhaus towel clamp, 130mm; Mayo-Hegar needle holder, 180mm, straight; scalpel handle No. 4; malleable abdominal spatula, 270mm; Yankauer suction tube, 270mm
Bowl	Stainless steel, 600ml
Intended setting	Facility with theatre, sterilisation and resuscitation rooms and trained personnel
Product code	SLE/MD/08
Supplied by	Jain Scientific Equipments Pvt Ltd (ScienceLab), Ambala, India

What Is the Abdominal Surgical Instrument Set Used For?

According to its description, the abdominal set serves two kinds of work. The first is abdominal emergencies, such as exploratory laparotomies and caesarean sections. The second is common planned interventions, especially in gynaecology, where the Phaneuf and Duplay uterine forceps and the Babcock and Duval tissue forceps come into play.

Long while the th s. The r conn ty