

Email: sales@scilabexport.com

Phone: +91-7082934803

Product Name:

Product Code:

Teltron Perrin Tube D

SLE/PHY/308





Email: sales@scilabexport.com

Phone: +91-7082934803

Description:

Teltron Discharge Tubes

The Teltron range of demonstration discharge tubeshas been designed to show the properties of the freeelectron.

The D range is the original Teltron range with connections fixed on the tubes.

The S range is a newer range with connections on the stand rather than the tubes.

Other equipment for use with the Teltron tubes:

EHT Power Supply
Digital Meter with two shunts included
Shrouded Test Lead Red
Shrouded Test Lead Black

Teltron Perrin Tube D

Highly evacuated electron tube with focusing electron gun and fluorescent screen inclined relative to the beam axis so that the path of the beam can be seen and the effects of electric and magnetic fields can be studied.

The electron beam can be deflected using two methods:

Electrically using electric field of the built-in plate capacitor

Magnetically using external Helmholtz Coils D.

Also determine the fundamental electron chargeto- mass ratio (e/m) and study mean electron velocities using field cancellation.

Technical Specifications:

Anode current: approx. 0.1 mA at 4 kV (anode).

Max. filament voltage: 6.3 V AC

Max. anode voltage: 5 kV Max. capacitor voltage: 500 V

Contact Science Lab for your Educational School Science Lab Equipments. We are best scientific laboratory equipments manufacturer, scientific laboratory equipments supplier, technical educational equipment exporter, technical educational equipment supplier, technical educational equipments exporter