Email : sales@scilabexport.com
Phone: +91-7082934803

Product Name :

Covid Testing Pod – 5 Bay

Product Code :

SLE/HE/16

Image not found or type unknown



Email : sales@scilabexport.com
Phone: +91-7082934803

Description :

Covid Testing Pod – 5 Bay (Product Code: SLE/HE/16) is a linked row of five single-sided, self-supporting screened booths used to create separate bays for Covid testing or vaccination in halls, clinics, schools and workplaces. Each pod measures 1200 x 1200 x 2000 mm, giving an overall bank about 6000 mm wide, built from wipeable aluminium frames and white PVC foam infill panels. It is manufactured by **Jain Scientific Equipments Pvt Ltd (ScienceLab)**, Ambala, India, a laboratory equipment supplier for hospitals and public-health projects.

Specifications

Parameter	Detail
Configuration	One row of 5 single-sided pods linked together
Pod construction	Each pod self-supporting, forming a screened area
Size of each pod	1200 mm (w) x 1200 mm (d) x 2000 mm (h)
Overall bank size	Approx. 6000 mm (w) x 1200 mm (d) x 2000 mm (h)
Frames	Wipeable aluminium
Infill panels	Wipeable white PVC foam
Intended use	Screened bays for Covid testing or vaccinations
Other layouts	Offered in a range of standard sizes and configurations; ask us
Panels	Cleanable
Includes	Complete installation hardware
Product code	SLE/HE/16
Manufacturer	Jain Scientific Equipments Pvt Ltd (ScienceLab), Ambala, India

What Is the Covid Testing Pod Used For?

The pod bank turns an open hall, gym or foyer into five separate testing or vaccination stations within a single footprint. Each bay gives the person being tested a screened space of its own, while staff can see along the row and move quickly from one bay to the next. This layout suits mass testing days at schools, workplace testing and community vaccination sessions where many people need to be seen in a short time.

When planning the floor, allow for the roughly 6000 x 1200 mm bank itself plus a waiting area in front and a clear path for staff. Wipe the aluminium frames and PVC panels between sessions with your site's usual disinfectant; smooth surfaces make this quick. Pair the bank with arrow signs so visitors find a free bay without crowding the entrance.

What to Specify When Ordering

- The number of 5-bay banks required